

表2 ウェットティッシュによる体位別拭き取り得点

体位		手掌側〔7区域〕							手背					
		手掌	手掌のくぼみ	母指	示指	中指	薬指	小指	母指①	母指②	示指①	示指②	示指③	
起座位	両手	12	14	16	16	16	16	15	10	11	12	9	3	9
	右手	5	6	8	8	8	8	8	5	6	6	6	2	4
	左手	7	8	8	8	8	8	7	5	5	6	3	1	5
仰臥位	両手	12	10	16	16	16	16	15	8	7	11	7	3	10
	右手	6	4	8	8	8	8	8	3	4	5	4	2	4
	左手	6	6	8	8	8	8	7	5	3	6	3	1	6
左側臥位	両手	14	13	16	16	15	16	14	4	9	13	6	3	8
	右手	7	7	8	8	8	8	7	2	4	6	5	2	4
	左手	7	6	8	8	7	8	7	2	5	7	1	1	4
右側臥位	両手	16	14	16	16	16	16	14	9	13	16	7	5	14
	右手	8	6	8	8	8	8	7	6	7	8	6	4	8
	左手	8	8	8	8	8	8	7	3	6	8	1	1	6
部位別得点(64点満点)		54	51	64	64	63	64	58	31	40	52	29	14	41
部位別拭き取り率(%)		84.4	79.7	100.0	100.0	98.4	100.0	90.6	48.4	62.5	81.3	45.3	21.9	64.1

〈注釈〉

 部位別拭き取り率が90%以上

 部位別拭き取り率30%以下

手背側〔15区域〕									指の間〔4区域〕				
中指①	中指②	中指③	薬指①	薬指②	薬指③	小指①	小指②	小指③	母指－示指	示指－中指	中指－薬指	薬指－小指	母指①
12	8	9	9	9	8	5	2	3	9	6	5	5	11
7	3	3	6	3	2	3	1	1	4	3	2	2	4
5	5	6	3	6	6	2	1	2	5	3	3	3	7
10	9	15	9	9	8	4	1	1	8	4	2	6	11
7	6	8	6	5	4	3	1	1	4	3	0	4	5
3	3	7	3	4	4	1	0	0	4	1	2	2	6
10	9	14	8	8	10	3	1	4	12	3	3	6	10
6	4	6	4	3	4	2	0	2	5	1	1	3	5
4	5	8	4	5	6	1	1	2	7	2	2	3	5
11	9	14	9	9	11	10	4	8	14	4	2	6	12
6	4	7	6	4	5	7	3	3	7	2	1	3	5
5	5	7	3	5	6	3	1	5	7	2	1	3	7
43	35	52	35	35	37	22	8	16	43	17	12	23	44
67.2	54.7	81.3	54.7	54.7	57.8	34.4	12.5	25.0	67.2	26.6	18.8	35.9	68.8

(n=8)

指の側面〔10区域〕									手首〔1区域〕	片手あたりの拭き取り平均得点(37点満点)	片手あたりの拭き取り率(%)	有意差
母指②	示指①	示指②	中指①	中指②	薬指①	薬指②	小指①	小指②	手首一周分			
16	13	13	11	14	14	15	11	1	12	23.8	64.2	}
8	7	6	5	7	7	7	7	1	6	23.1	62.5	
8	6	7	6	7	7	8	4	0	6	24.4	65.9	
16	6	13	8	9	10	12	11	1	8	21.1	57.1	}
8	5	7	4	4	5	6	5	0	3	22.0	59.5	
8	1	6	4	5	5	6	6	1	5	20.3	54.7	
16	9	11	6	8	9	7	6	1	8	20.6	55.6	}
8	5	6	3	4	3	3	3	1	4	20.3	54.7	
8	4	5	3	4	6	4	3	0	4	20.9	56.4	
16	14	9	8	5	7	10	10	0	15	24.3	65.7	}
8	7	4	4	2	3	7	4	0	8	25.3	68.2	
8	7	5	4	3	4	3	6	0	7	23.4	63.2	
64	42	46	33	36	40	44	38	3	43			
100.0	65.6	71.9	51.6	56.3	62.5	68.8	59.4	4.7	67.2			

ウィルコクソンの符号付順位和検定 *: $p < 0.05$ **: $p < 0.01$